	Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
oplate	/L11	318	714/746.ccls. and @ad<"20000114"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/18 16:01
	L10	713	714/746.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/18 16:00
	L6	1253	713/189.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/18 15:58
	L7	319	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/18 15:58
\ \times_1	L8	1843	713/193.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/18 15:58
	L9	341	L8 not (L6 or L7) and @ad<"20000114"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/18 15:58
	L5	1	relative adj address\$2 with (class\$2 or function\$2) and @ad<"20000114" and encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/18 14:53
	L4	0	relative adj address\$2 with (class\$2 or function\$2) and @ad<"20000114" and decrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/18 14:51
	L2	167	relative adj address\$2 with (class\$2 or function\$2)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/18 14:50
	L3	110	relative adj address\$2 with (class\$2 or function\$2) and @ad<"20000114"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR ·	OFF	2007/06/18 14:50
	S11 6	. 5	relative adj address\$2 with list same function\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/18 14:49
	S11 4	4	relative adj address adj list\$1 same function\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/18 12:08
	S11 5	4	relative adj address adj list\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/18 12:08

S11 3	65	object adj oriented and (encrypted or decrypted) adj object\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:47
S11 2	57	encrypted adj function\$1 and @ad<"20000114"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/18 09:57
S1	39631	error adj correction	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/18 09:56
S11 1	157	encrypted adj function\$1	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/18 09:56
S11 0		("4120030"   "4168396"   "4262329"   "4278837"   "4306289"   "4319079"   "4405829"   "4433207"   "4465901"   "4817140"   "4847902"   "4864616"   "4888798"   "4888800"   "4937861"   "4999806"   "5007082"   "5021997"   "5027396"   "5033084"   "5081675"   "5144659"   "5155827"   "5155847"   "5166886"   "5191611"   "5220606"   "5222133"   "5272755"   "5287407"   "5313521"   "5325433"   "5327563"   "5337357"   "5341429"   "5351293"   "5379433"   "5392351"   "5394469"   "5396609"   "5412718"   "5414850"   "5442699"   "5473687"   "5490216"   "5497423"   "5590974"   "5511123"   "5524072"   "5557346"   "5557765"   "5563946"   "5592549"   "55639470"   "5615264"   "5625692"   "5629980"   "5634012"   "5638443"   "5638445").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/14 15:50



		EAST Seat		7		
S10 9	15	("4634807"   "4847902"   "5222134"   "5388211"   "5530752"   "5598470"   "5684875"   "5757919"   "5825878"   "5845281"   "5862217"   "5892900"   "6006328"   "6052780"   "6292569").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/14 15:40
S10 8	4	("6405316").URPN.	USPAT	OR	OFF	2007/06/14 15:39
S10 7	32	("6052780").URPN.	USPAT	OR ·	OFF	2007/06/14 15:25
S10 5	166	obfuscat\$4 near2 (software or program\$1) and function\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/14 15:17
S10 6	3878	(scrambled or encrypted) near2 (software or program\$1) and function\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/14 15:17
S10 3	178	object adj oriented and object\$1 near encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/14 15:09
S10 4	198	obfuscat\$4 near2 (software or program\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR .	OFF	2007/06/14 15:09
S10 2	52	internal adj function\$1 and public adj function\$1 and encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/14 14:41
S10 1	213	internal adj function\$1 and public adj function\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR .	OFF	2007/06/14 14:30
S10 0	.0	encrypted adj2 (portion\$1 or function\$1) with program\$1 and public adj function\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/14 14:29
S99	231	encrypted adj2 (portion\$1 or function\$1) with program\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR .	OFF	2007/06/14 14:17
S98	223	encrypted adj2 (portion\$1 or function\$1) with program	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/14 14:15

S96	6	encrypted with portion\$1 with program and address adj list\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/14 14:14
S97	564	encrypted with function\$1 with program	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/14 14:14